

Kwalu Features

Product Dimensions and Specs

Overall	47W 24.5D 40H
Seat	42.5W 19.5D 19H
Arm	26H
Wt.	67 lbs
Wt. Capacity	500 lbs

Product Configurations

Arezzo Collection

AREXX

Unit Style




B
Bench

Pillow Style




0
No Pillows



***1**
Throw Pillows

Piping Style (Optional)



P
With Piping

Product Statement of Line Images



Arezzo Bench, Seat Cushion
without Piping
Model: AREB0
47W 24.5D 40H
26AH



Arezzo Bench, Seat Cushion
with Piping
Model: AREB0P
47W 24.5D 40H
26AH



Arezzo Bench, Seat Cushion
& Throw Pillows without
Piping
Model: AREB1
47W 24.5D 40H
26AH



Arezzo Bench, Seat Cushion
& Throw Pillows with Piping
Model: AREB1P
47W 24.5D 40H
26AH



Arezzo Bench No Cushions
Model: AREBNC
47W 24.5D 40H
26AH



Arezzo Seat Cushion Only
without Piping for Bench
Model: AREBSR
42W 20D 6H



Arezzo Seat Cushion Only
with Piping for Bench
Model: AREBSRP
42W 20D 6H

Product Features



Waterproof Outdoor UV Protected Frame

Special additive protects frame against the elements and damaging ultraviolet rays.



Steel Reinforced

Our patented steel-reinforced joint system uses over 20 pieces of steel in most Kwalu chairs. Stop ongoing and costly furniture replacement.



Quick Dry Cushion

Kwalu's quick drying cushion construction moves moisture through fast allowing cushions and pillows to dry rapidly.



Optional Piping on Seat

Piping is available on seat and is optional.



Optional Throw Pillows

Also available with a pair of throw pillows. The seat depth will be shorter if this option is selected.



Optional Floor Mounting

A set of 4 L-shaped brackets and 8 screws to secure the brackets to the product are provided. Screws to attach brackets to the floor are not included.

[Learn More >](#)



Replacement Cushions

Please contact a sales associate to purchase additional or replacement cushions.

Product Glides


Nylon Knock in Glide 1 1/8 inch

Product Finishes

Frame Finish



Outdoor
Weathered Teak
UV



Outdoor White
UV

Product Environmental Certifications

