

Kwalu Features

Kwalu Classic Solid Surface

- Kwalu's waterproof proprietary outer shell is a technologically advanced, robust solid surface polymer material (1/8" thick)
- Non-coated
- Offers a warm, pleasant, wood-like temperature to the touch

Quick Dry Cushion

- Quick drying cushion construction moves moisture through fast, allowing cushions and pillows to dry rapidly

Moisture Impervious

- Our Kwalu material is smooth, non-porous, and liquid impervious

Proprietary Maintenance-Free Finish

- Chemical, impact, ink, and scratch resistant
- Will not chip or crack
- 100% free of short-lived catalytic lacquers, polyurethane varnishes, delicate wood veneers, and de-laminating HPL's
- Repairable with quick strokes of steel wool
- Look of wood's enduring beauty, without undertaking its costly setbacks

Easy to Clean

- Withstands rigorous cleaning regime
- 100% bleach cleanable
- Chemically resistant, entirely smooth, high-performance solid surface (1/8" thick)
- Provide long term cleanability
- Survives All EPA's Cleaning-Disinfectant Agents
- Survives Clorox's Healthcare Portfolio of Cleaning-Disinfectant Products

Patented Steel-Reinforced Joint Technology

- Patented inner steel-reinforced joint system holds frame together
- Eliminates costly and injury-prone construction failures
- No dowels or screws used to hold frame together

Performance Warranty

- Kwalu's warranty is to term, not pro-rated
- Guaranteeing both the furniture construction and finish
- Products that are ordered to be UV protected – parts made from Kwalu are warranted against structural degradation for a period of ten years, and against color fading of no more than 20% of the original color for seven and a half years. We recommend the Kwalu finish is rubbed with 0000 steel wool annually to keep the finish looking clean and new, and to remove any yellowing which may occur
- For full details of warranty offered, including any bought-out items, please refer to the Terms and Conditions of Sale <https://www.kwalu.com/sales-terms-conditions/>


Eco-friendly

- Made in North America
- 99% recycled inner-steel framing and long-lasting polymers


Product Dimensions and Specs

Overall	24.5W 33D 46H
Seat	20W 19.5D 19H
Arm	26H
Wt.	42 lbs
Wt. Capacity	250 lbs


Product Statement of Line Images



Arezzo Rocker Chair, Seat
Cushion without Piping
Moasdfadel: ARERO
24.5W 33D 46H
26AH




Arezzo Rocker Chair, Seat
Cushion with Piping
Moasdfadel: AREROP
24.5W 33D 46H
26AH



Arezzo Rocker Chair, Seat
Cushion & Throw Pillow
without Piping
Moasdfadel: ARER1
24.5W 33D 46H
26AH




Arezzo Rocker Chair, Seat
Cushion & Throw Pillow with
Piping
Moasdfadel: ARER1P
24.5W 33D 46H
26AH



Arezzo Rocker Chair, Seat
Cushion & Headrest Pillow
without Piping
Moasdfadel: ARER2
24.5W 33D 46H
26AH



Arezzo Rocker Chair, Seat
Cushion with Piping, Headrest
Pillow without Piping
Moasdfadel: ARER2P
24.5W 33D 46H
26AH



Arezzo Rocker Chair, Seat
Cushion, Throw Pillow &
Headrest without Piping
Moasdfadel: ARER3
24.5W 33D 46H
26AH



Arezzo Rocker Chair, Seat
Cushion & Throw Pillow with
Piping, Headrest Pillow
without Piping
Moasdfadel: ARER3P
24.5W 33D 46H
26AH

Product Features



Waterproof Outdoor UV Protected Frame

Special additive protects frame against the elements and damaging ultraviolet rays.



Steel Reinforced

Our patented steel-reinforced joint system uses over 20 pieces of steel in most Kwalu chairs. Stop ongoing and costly furniture replacement.



Quick Dry Cushion

Kwalu's quick drying cushion construction moves moisture through fast allowing cushions and pillows to dry rapidly.



Optional Pillows

Optional headrest and optional throw pillow provide additional levels of comfort.



Optional Piping on Seat

Piping is available on seat and is optional.




Replacement Cushions

Please contact a sales associate to purchase additional or replacement cushions.

Product Finishes

Frame Finish



Outdoor White
UV (Outdoor)



Outdoor
Weathered Teak
UV (Outdoor)

Product Environmental Certifications

